

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: Lightplast Lacquer**
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation**  
Light-curing lacquer for the surface coating of lightplast base plates
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Dreve Dentamid GmbH  
Max-Planck-Straße 31  
59423 Unna / Germany  
Tel.: ++49 2303 / 8807-0  
Fax.: ++49 2303 / 8807-55
- **Further information obtainable from:**  
Department Research & Development  
Fax.: ++49 2303 / 8807-562  
Email: sicherheitsdatenblatt@dreve.de
- **Emergency telephone number:**  
Tel.: ++ 49 211 / 797-3350  
Plant Fire Department Henkel

### 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.



Xi; Sensitising

R43: May cause sensitisation by skin contact.



F; Highly flammable

(Contd. on page 2)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

**Trade name: Lightplast Lacquer**

(Contd. of page 1)

R11: Highly flammable.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS02 GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labelling:**

methyl methacrylate  
pentaerythritol triacrylate

- **Hazard statements**

H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.  
H335 May cause respiratory irritation.

- **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

**Trade name: Lightplast Lacquer**

(Contd. of page 2)

|                                     |  |        |
|-------------------------------------|--|--------|
| CAS: 80-62-6<br>EINECS: 201-297-1   | methyl methacrylate<br>☒ Xi R37/38; ☒ Xi R43; ☒ F R11<br>⚠ Flam. Liq. 2, H225; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317;<br>STOT SE 3, H335 | 25-50% |
|                                     | Acrylic resin<br>☒ Xi R36/37/38<br>⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335  | 25-50% |
| CAS: 3524-68-3<br>EINECS: 222-540-8 | pentaerythritol triacrylate<br>☒ Xi R36/38; ☒ Xi R43<br>⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317                        | 10-25% |
|                                     | photoinitiatorblend<br>☒ Xn R22-62<br>R52/53<br>⚠ Repr. 2, H361; ⚠ Acute Tox. 4, H302; Aquatic Chronic 3,<br>H412                            | ≤ 5.0% |

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Immediately rinse with water.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:**  
Water  
Water with full jet
- **Special hazards arising from the substance or mixture**  
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

**Trade name: Lightplast Lacquer**

(Contd. of page 3)

- **Environmental precautions:**  
Prevent seepage into sewage system, workpits and cellars.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**80-62-6 methyl methacrylate**

|     |  |
|-----|--|
| WEL | Short-term value: 416 mg/m <sup>3</sup> , 100 ppm<br>Long-term value: 208 mg/m <sup>3</sup> , 50 ppm |
|-----|--|

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

**Trade name: Lightplast Lacquer**

(Contd. of page 4)

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

|                  |                 |
|------------------|-----------------|
| Form:            | Fluid           |
| Colour:          | Colourless      |
| Odour:           | Characteristic  |
| Odour threshold: | Not determined. |

- **pH-value:** Not determined.

- **Change in condition**

|                              |               |
|------------------------------|---------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 101 °C        |

- **Flash point:** 10 °C

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 430 °C

- **Decomposition temperature:** Not determined.

- **Self-igniting:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

- **Explosion limits:**

|        |           |
|--------|-----------|
| Lower: | 2.1 Vol % |
|--------|-----------|

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

**Trade name: Lightplast Lacquer**

(Contd. of page 5)

|   |  |
|---|--|
| <b>Upper:</b>                                     | 12.5 Vol %                                 |
| · <b>Oxidizing properties</b>                     | Not determined                             |
| · <b>Vapour pressure at 20 °C:</b>                | 47 hPa                                     |
| · <b>Density at 20 °C:</b>                        | 1.0 g/cm <sup>3</sup>                      |
| · <b>Relative density</b>                         | Not determined.                            |
| · <b>Vapour density</b>                           | Not determined.                            |
| · <b>Evaporation rate</b>                         | Not determined.                            |
| · <b>Solubility in / Miscibility with water:</b>  | Not miscible or difficult to mix.          |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic at 23 °C:</b>                          | 20 mPas                                    |
| <b>Kinematic:</b>                                 | Not determined.                            |
| · <b>Other information</b>                        | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity** No dangerous reactions if used according to specifications.
- **Chemical stability** Stable if used according to specifications.
- **Thermal decomposition / conditions to be avoided:** Protect from heat and direct sunlight.
- **Possibility of hazardous reactions**
  - Reacts with reducing agents.
  - Reacts with strong oxidizing agents.
  - Reacts with heavy metals.
  - Reacts with peroxides and other radical forming substances.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Repr. 2

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 7)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

**Trade name: Lightplast Lacquer**


(Contd. of page 6)

- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Disposal must be made according to official regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

|   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                                | UN1247   |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul> | 1247 METHYLMETHACRYLAT, MONOMER, STABILISIERT, LÖSUNG<br>METHYL METHACRYLATE MONOMER, STABILIZED, SOLUTION                   |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>               | <div style="text-align: center;">  </div> |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | 3 Flammable liquids.<br>3  |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                            | II   |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>                 | No   |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Danger code (Kemler):</b></li> </ul>       | Warning: Flammable liquids.<br>339   |

(Contd. on page 8)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

**Trade name: Lightplast Lacquer**

(Contd. of page 7)

|  |  |
|--|--|
| · <b>EMS Number:</b>   | F-E,S-D  |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.  |
| · <b>Transport/Additional information:</b>                                       |  |
| · <b>ADR</b>   |  |
| · <b>Limited quantities (LQ)</b>   | 1L   |
| · <b>Transport category</b>  | 2  |
| · <b>Tunnel restriction code</b>   | D/E  |
| · <b>UN "Model Regulation":</b>  | UN1247, METHYL METHACRYLATE MONOMER, STABILIZED, 3, II |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Technical instructions (air):**

| Class | Share in % |
|-------|------------|
| NK    | 25-50      |

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H225 Highly flammable liquid and vapour.
  - H302 Harmful if swallowed.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H319 Causes serious eye irritation.
  - H335 May cause respiratory irritation.
  - H361 Suspected of damaging fertility or the unborn child.
  - H412 Harmful to aquatic life with long lasting effects.
- **Phrases**
  - R11 Highly flammable.
  - R22 Harmful if swallowed.
  - R36/37/38 Irritating to eyes, respiratory system and skin.
  - R36/38 Irritating to eyes and skin.
  - R37/38 Irritating to respiratory system and skin.
  - R43 May cause sensitisation by skin contact.
  - R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
  - R62 Possible risk of impaired fertility.
- **Department issuing MSDS:** Department Research & Development
- **Contact:** Dr. Thomas Veit, Lothar Sutor

(Contd. on page 9)





**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 29.10.2013

Version number 1

Revision: 29.10.2013

**Trade name: Lightplast Lacquer**

(Contd. of page 8)

**· Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GB